

RABBIT (*Oryctolagus cuniculus*)

<u>Drug Indication and Drugs</u>	<u>Dosage and Route of Administration</u>	
Restraint/Preanesthesia		
Atropine	0.1–0.5 mg/kg	SC IM
Ketamine	15-50 mg/kg	IM
Acetylpromazine	1.0-10 mg/kg	IM SC IV
Ketamine/Acetylpromazine (10:1)	15-50 mg/kg	IM
Diazepam	5-10 mg/kg	IV IM
Glycopyrrolate	0.005-0.011 mg/kg	IM
Butorphanol & Acepromazine	1 mg/kg/1 mg/kg	SC
Anesthesia		
Sodium Pentobarbital	15-40 mg/kg	IV
Ketamine	20-60 mg/kg	IM
Ketamine/Xylazine	35/5 mg/kg	IM
Ketamine/Xylazine/Acepromazine:	Xylazine ^H 5-10 mg/kg	IM
	Ketamine, C-III 35-50 mg/kg	IM
	Acepromazine 0.75 mg/kg	IM
Ketamine/Midazolam	25 mg/kg/ 1 mg/kg	IM
Ketamine/Diazepam	15-50 mg/kg/ 5-10 mg/kg	IM
Ketamine/Acepromazine/Butorphanol	Ketamine, C-III 35 mg/kg	SC
	Acepromazine 0.75 mg/kg	SC
	Butorphanol 0.1 mg/kg	SC
Telazol	10–25 mg/kg	IM
Propofol	7.5–15 mg/kg	IV
Isoflurane	to effect	IH

Analgesia

Morphine	2-5 mg/kg	SC IM
Acetylsalicytic Acid (Aspirin)	500 mg/kg	PO
Buprenorphine	0.01-0.1 mg/kg	SC
Butorphanol	0.1-1.5 mg/kg	IV
	1.0-7.5 mg/kg	IM SC
Flunixin meglumine	1.1 mg/kg	IM SC
Carprofen	1.5-2.2 mg/kg	PO
Ketoprofen	1-3 mg/kg	IM

Reversal Agents

Yohimbine (reverses xylazine)	0.2 mg/kg	IV
-------------------------------	-----------	----